

KMB6

Jistič, 4P



[Hz]

50

C

4P

4

IP

20

1÷25

5÷40

TH 35

UI [V]

500

CE

EAC

VDE

UK
CA

KMB6-C2/4

	[V]		In [A]
KMB6-C2/4	32558	230 AC	4 2
KMB6-C6/4	32601	230 AC	4 6
KMB6-C10/4	32602	230 AC	4 10
KMB6-C16/4	32603	230 AC	4 16
KMB6-C20/4	32604	230 AC	4 20
KMB6-C25/4	32605	230 AC	4 25
KMB6-C32/4	32606	230 AC	4 32
KMB6-C40/4	32607	230 AC	4 40
KMB6-C50/4	32608	230 AC	4 50
KMB6-C63/4	32609	230 AC	4 63

5 let záruky shodně s podmínkami záručního prohlášení dostupného na [internetové stránce](#)

Jistič slouží k ochraně před přetížením a zkratem v instalacích a zařízeních.

KMB6

Jistič, 4P



KMB6-C2/4



KMB6-C6/4



KMB6-C10/4



KMB6-C16/4



KMB6-C20/4



KMB6-C25/4



KMB6-C32/4



KMB6-C40/4




KMB6-C50/4




KMB6-C63/4

KMB6


Jistič, 4P




KMB6-C2/4




KMB6-C6/4




KMB6-C10/4




KMB6-C16/4




KMB6-C20/4




KMB6-C25/4




KMB6-C32/4



KMB6-C40/4



KMB6-C50/4



KMB6-C63/4