





Barva: ■ Černá



Rozměry v mm



Rozměry v mm

Mounting accessories WINSTA® MINI 2-pole

Put your trust in proven sustainability for the electrical installation in your project: The mounting accessories from the WINSTA® MINI product line. With WAGO, you benefit from a large selection of expansions for the WINSTA® product line. WINSTA® MINI is our response to the trend toward miniaturisation. Our smallest pluggable connection system is primarily suited for lights, for example, since as a result of LED technology; due to complex systems, these offer less and less space for the connection technology.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismatching from WAGO.

- consistent IP40 protection
- fast, secure installation

Údaje o připojení

Připojení 1

Počet pólů	2
------------	---



Fyzické údaje	
Šířka	17 mm / 0.669 palců
Výška	13 mm / 0.512 palců
Hloubka	25 mm / 0.984 palců

Mechanické údaje	
Variabilní kódování	Ne
Způsob montáže	Upevnění pomocí šroubů
Vhodné	Pro rozdělovače (s výjimkou rozdělovačů T); 2pól.

Údaje o materiálu	
Upozornění (údaje o materiálu)	Zde najdete informace o specifikaci materiálu
Barva	Černá
Izolační materiál	Polyamid (PA 66)
Třída hořlavosti podle UL94	V0
Požární zatížení	0,088 MJ
Hmotnost	1,6 g

Požadavky na prostředí	
Teplota pro zpracování	-5 ... +40 °C
Trvalá provozní teplota	-35 ... +85 °C
Upozornění k trvalé provozní teplotě	Izolační části pro teploty ≤ 105 °C

Obchodní údaje	
Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 9.0	EC002863
ETIM 8.0	EC002863
PU (SPU)	50 ks
Druh balení	Box
Země původu	DE
GTIN	4045454684600
Číslo celního tarifu	39269097900

Soulad produktů s ekologickými standardy	
RoHS Compliance Status	Compliant, No Exemption



Ke stažení			
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 890-1622			

Documentation			
Bid Text			
890-1622	11.03.2015	doc 21.50 KB	
890-1622	19.02.2019	xml 2.55 KB	

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 890-1622	WSCAD Universe 890-1622
	ZUKEN Portal 890-1622