











BIOLUX HCL CONTROL UNIT




	EAN	d x h [mm]	V _{AC}	Hz	IP	IK	° (°C)	
BIOLUX HCL CONTROL UNIT S ZB	4058075724624	84 x 54	220-240 V	50/60 Hz	20	03	0...+40	0.2 kg

		EAN
 	BIOLUX HCL PL 600 S 40W TW ZB	4058075724549
	BIOLUX HCL PL 625 S 40W TW ZB	4058075724563
	BIOLUX HCL PL 1200 S 37W TW ZB	4058075724587
	BIOLUX HCL DL DN150 S 20W TW ZB	4058075724600
	BIOLUX HCL LS S TW ZB KIT	4058075671270
	BIOLUX HCL LS S TW IP67 ZB KIT	4058075671294
	BIOLUX HCL CONTROL UNIT S ZB	4058075724624
	VIVARES ZB O SENS 220-240	4058075544222







10

DOWNLOAD & START

Q BIOLUX


LEDVANCE BIO LUX

GET IT ON Google play

Download on the App Store

<https://play.google.com/store/apps/details?id=com.ledvance.hcl.commissioning&hl=de&gl=US>

<https://apps.apple.com/de/app/biolux-hcl-system/id1497718879>



DEMO



- Ⓓ Vorführung der NATURAL HCL Lichtszena
- Ⓔ Demo of NATURAL HCL lighting scene
- Ⓕ Démonstration NATURAL HCL scène lumineuse
- Ⓘ Il riportare NATURAL HCL scena di luce
- Ⓔ Adelantar NATURAL HCL escena de luz

TIMETABLE



- Ⓓ Zeitplaneinstellung
- Ⓔ Timetable settings
- Ⓕ Réglage du calendrier
- Ⓘ Impostazione del programma
- Ⓔ Configuración de la programación

OFF SETUP



- Ⓓ Einstellung der Ein-/Ausfunktion
- Ⓔ On/off function settings
- Ⓕ Réglage de la marche/arrêt
- Ⓘ Impostazione della funzione on/off
- Ⓔ Configuración de la función de encendido/apagado

SENSOR CONFIGURATION



- Ⓓ Sensoreinstellung
- Ⓔ Sensor configuration settings
- Ⓕ Configuration du capteur
- Ⓘ Configurazione del sensore
- Ⓔ Configuración del sensor



C10449057
G11232884
12.03.25



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com

Ⓔ LEDVANCE Ltd, Aquila House
Delta Crescent, Westbrook, Warrington
WA5 7NR, United Kingdom