









DP BATTEN COMBO SENSOR



	EAN	l x w x h [mm]	
DP BATTEN CBO SENSOR	4099854521461	82 x 44 x 35	40g

DP BATTEN COMBO SENSOR





On/Off

ON
OFF

Detection Area

1	2	
ON	ON	100%
-	ON	75%
ON	-	50%
-	-	25%

Hold Time

3	4	5	
ON	ON	ON	5s
-	ON	ON	90s
ON	ON	-	5min
-	-	-	15min

Daylight Sensor

6	7	8	
ON	ON	-	Disable
-	-	ON	<50 LUX
ON	-	ON	<25 LUX
-	ON	ON	<10 LUX
ON	ON	ON	<2 LUX

Sensor Mode

9	
ON	Dimming
-	ON/OFF

A1)

A2)

A3)

B1)

B2)

B3)

Dimming



1	
ON	100%
-	50%



Hold Time

2	3	
ON	ON	5s
-	ON	90s
ON	-	5min
-	-	15min



Daylight Sensor

4	5	
ON	ON	Disable
-	ON	<50 LUX
ON	-	<25 LUX
-	-	<10 LUX



DIM Period

6	7	
ON	ON	0s
-	ON	10s
ON	-	15min
-	-	∞




DIM Level

8	
ON	10%
-	30%



Sensor Mode

9	
ON	Dimming
-	ON/OFF



- (GB) 1) Example (D) 1) Beispiel (F) 1) Exemple (I) 1) Esempio (E) 1) Ejemplo (P) 1) Exemplo
 (GR) 1) Παράδειγμα (NL) 1) Voorbeeld (S) 1) Exempel (FIN) 1) Esimerkki (N) 1) Eksempel (DK) 1) Eksempel
 (CZ) 1) Příklad (RU) 1) Пример (H) 1) Példa (PL) 1) Przykład (SK) 1) Příklad (SI) 1) Primer (TR) 1) Örnek (HR) 1) Primjer
 (BG) 1) Пример (EST) 1) Näide (LT) 1) Pavyzdys (LV) 1) Piemērs (SRB) 1) Primer (UA) 1) Приклад (KZ) 1) Мысал



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

(GB) LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom

C10449058
G11226250
10.03.25