



# WORKLIGHT BATTERY R-STAND



 **IP54**

|                                        | EAN           | W  | lm   | K    | °C        | V <sub>DC</sub> | °   |      |
|----------------------------------------|---------------|----|------|------|-----------|-----------------|-----|------|
| LED WORKLIGHT VAL BAT PB<br>20W865R-ST | 4099854430510 | 20 | 2000 | 6500 | -10...+40 | 5               | 115 | 7500 |
| LED WORKLIGHT VAL BAT PB<br>30W865R-ST | 4099854430534 | 30 | 3000 | 6500 | -10...+40 | 5               | 115 | 7500 |

1x  **1400 g**  
4099854430510


3x  3.7V 18650 lithium

1x  60cm 5V 2A USB-C


 **1750 g**  
4099854430534




4x  3.7V 18650 lithium


mm



|               | L   | W   | H   |
|---------------|-----|-----|-----|
| 4099854430510 | 266 | 220 | 276 |
| 4099854430534 | 292 | 219 | 276 |







LEDVANCE SASU  
CQM, 5 rue d'Altorf  
67120 Molsheim France  
[www.ledvance.com](http://www.ledvance.com)

GB LEDVANCE Ltd, Sterling House,  
810 Mandarin Court, Warrington,  
Cheshire, WA1 1GG, United Kingdom

G11211029  
27.01.2025