



BULKHEAD ROUND

BULKHEAD ROUND SENSOR



	EAN	Ø x h [mm x mm]	f [Hz]	U [V]	* P [W]	** Phi_v [lm]	*** Eff. [lm/W]	CCT [K]
BLKH RD 250 P 9.5W CPS BK	4099854286087	262 x 73	0/50/60	220-240	9,5	1220	128	3000/4000
BLKH RD 250 P 9.5W CPS WT	4099854286100	262 x 73	0/50/60	220-240	9,5	1220	128	3000/4000
BLKH RD 300 P 17W CPS BK	4099854286124	312 x 73	0/50/60	220-240	17	2270	132	3000/4000
BLKH RD 300 P 17W CPS WT	4099854286148	312 x 73	0/50/60	220-240	17	2270	132	3000/4000
BLKH RD SEN 250 P 10W CPS BK	4099854286162	262 x 73	0/50/60	220-240	10	1220	122	3000/4000
BLKH RD SEN 250 P 10W CPS WT	4099854286186	262 x 73	0/50/60	220-240	10	1220	122	3000/4000
BLKH RD SEN 300 P 18W CPS BK	4099854286209	312 x 73	0/50/60	220-240	18	2280	126	3000/4000
BLKH RD SEN 300 P 18W CPS WT	4099854286247	312 x 73	0/50/60	220-240	18	2280	126	3000/4000

	EAN	IP	IK	∇[°]	R _a	🌡️ [°C]	PF	👤 [kg]
BLKH RD 250 P 9.5W CPS BK	4099854286087	65	10	120	> 80	-20...+40	> 0.8	0.7
BLKH RD 250 P 9.5W CPS WT	4099854286100	65	10	120	> 80	-20...+40	> 0.8	0.7
BLKH RD 300 P 17W CPS BK	4099854286124	65	10	120	> 80	-20...+40	> 0.9	0.9
BLKH RD 300 P 17W CPS WT	4099854286148	65	10	120	> 80	-20...+40	> 0.9	0.9
BLKH RD SEN 250 P 10W CPS BK	4099854286162	65	10	120	> 80	-20...+40	> 0.7	0.7
BLKH RD SEN 250 P 10W CPS WT	4099854286186	65	10	120	> 80	-20...+40	> 0.7	0.7
BLKH RD SEN 300 P 18W CPS BK	4099854286209	65	10	120	> 80	-20...+40	> 0.9	0.9
BLKH RD SEN 300 P 18W CPS WT	4099854286247	65	10	120	> 80	-20...+40	> 0.9	0.9

BLKH RD 250									
* P [W]	9,5		8		6,5		5,5		
CCT [K]	4000	3000	4000	3000	4000	3000	4000	3000	4000
**Phi_v [lm]	1220	1150	1070	1020	860	820	710	680	
***Eff. [lm/W]	128	120	132	125	132	125	129	123	








BLKH RD 300									
* P [W]	17		15		12,5		10		
CCT [K]	4000	3000	4000	3000	4000	3000	4000	3000	4000
**Phi_v [lm]	2270	2140	1990	1880	1700	1600	1400	1310	
***Eff. [lm/W]	132	125	132	125	136	128	138	130	

BLKH RD SEN 250									
* P [W]	10		8,5		7		6		
CCT [K]	4000	3000	4000	3000	4000	3000	4000	3000	4000
**Phi_v [lm]	1220	1150	1070	1010	860	810	710	670	
***Eff. [lm/W]	122	115	120	116	120	114	118	112	

BLKH RD SEN 300									
* P [W]	18		15,5		13		11		
CCT [K]	4000	3000	4000	3000	4000	3000	4000	3000	4000
**Phi_v [lm]	2280	2160	1980	1880	1690	1610	1390	1330	
***Eff. [lm/W]	126	120	127	121	130	122	126	120	

BULKHEAD ROUND

BULKHEAD ROUND SENSOR




BULKHEAD ROUND

BULKHEAD ROUND SENSOR





6





BULKHEAD ROUND

BULKHEAD ROUND SENSOR




9

1	2	3	
ON	ON	ON	100%
-	ON	ON	75%
ON	-	ON	50%
-	-	ON	25%
-	-	-	10%






4	5	6	
ON	ON	ON	5s
-	ON	ON	30s
ON	-	ON	90s
-	-	ON	3min
ON	ON	-	20min
-	-	-	30min

7	8	9	
-	-	-	Disable
ON	-	-	50 LUX
-	ON	-	25 LUX
ON	ON	-	10 LUX
ON	ON	ON	2 LUX





BULKHEAD ROUND

BULKHEAD ROUND SENSOR



BULKHEAD ROUND

BULKHEAD ROUND SENSOR





BULKHEAD ROUND


BULKHEAD ROUND SENSOR

EVERLOOP COMPONENTS



	EAN	Ø x h [mm]	l x w x h [mm]	
DR DS-P-10/220-240/350 BLKH	4099854286834		81 x 47 x 25	0.1 kg
DR DS-P-18/220-240/370 BLKH	4099854286858		81 x 47 x 25	0.1 kg
LISOEV 250R 8W 830 840 BLKH	4099854311918	250 x 38		0.3 kg
LISOEV 300R 15W 830 840 BLKH	4099854311970	300 x 38		0.4 kg

BULKHEAD EYELID



	EAN	Ø x h [mm]	
BLKH RD EYELID 250 BK	4099854286759	262 x 74	0.2 kg
BLKH RD EYELID 250 WT	4099854286773	262 x 74	0.2 kg
BLKH RD EYELID 300 BK	4099854286797	312 x 74	0.2 kg
BLKH RD EYELID 300 WT	4099854286810	312 x 74	0.2 kg

