






















ENDURA® PRO SENSOR





	EAN	W	lm light source	lm output	K	IP	°C	V~	Hz	PF	°	
E PRO FLOOD S 15W 840 IP55 WT	4099854451720	15	1980	1500	4000	55	-20...+40	220-240	50/60	≥ 0.88	100	100000
E PRO FLOOD S 15W 840 IP55 DG	4099854451706	15	1980	1500	4000	55	-20...+40	220-240	50/60	≥ 0.88	100	100000
E PRO FLOOD S 27W 840 IP55 WT	4099854451799	27	3800	3000	4000	55	-20...+40	220-240	50/60	≥ 0.90	100	100000
E PRO FLOOD S 27W 840 IP55 DG	4099854451744	27	3800	3000	4000	55	-20...+40	220-240	50/60	≥ 0.90	100	100000
E PRO SPOT S 16W 840 IP55 WT	4099854451836	16	2140	1500	4000	55	-20...+40	220-240	50/60	≥ 0.88	50	100000
E PRO SPOT S 16W 840 IP55 DG	4099854451812	16	2140	1500	4000	55	-20...+40	220-240	50/60	≥ 0.88	50	100000









 LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire. WA1 1GG. United Kingdom