

Activation & Trip Box TD300 incl. connecting cable 3VA-TD300
accessory for: 3VA2



Model	
Product brand name	SETRON
Product designation	Accessories
Product version	Activation and trip box
Accessories	Test device

General technical data	
Mounting position	any
Protection class IP	IP30

Mechanical Design	
Number of circuit breakers / directly connectable	1
Height	107 mm
Width	76 mm
Depth	25 mm
Ambient temperature / during operation	
• minimum	-10 °C
• maximum	40 °C

Certificates	
--------------	--

General Product Approval		EMC	Declaration of Conformity	Shipping Approval
	Miscellaneous			
VDE		RCM	EG-Konf.	LRS

other	
Manufacturer Declaration	Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9987-0MA10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9987-0MA10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9987-0MA10

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

08/08/2020