

„†fx%ow^cx y^u}€‡

TL508S

TL508S Wall-mounting cabinet



General Information	
Extended Product Type	TL508S
Product ID	2CPX010129R9999
EAN	4011617101291
Catalog Description	TL508S Wall-mounting cabinet
Long Description	Wall-mounting cabinet, series TwinLine, empty cabinet, for the internal use, with Door, class of protection II (double insulated), degree of protection IP55, applicable standards: EN 61439-1, EN 61439-2, EN 61439-3, IK code 08, powder-coated, in RAL 7035, enclosure out of sheet steel, double door, door out of sheet steel, with Standard locking mechanism double bit, door opening angle 180 degree, door hinge right and left, rear wall out of sheet steel, cable entry on top via flange opening pre-cut, on bottom via flange opening pre-punched, on side via flange opening pre-punched, dimensions in mm (H x W x D): 1250 x 1300 x 275, Grid unit 8 GU, Overall height 4, panel width 5, Space units 480, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Modul or mounting plate on EDF-/WR-mounting frame

Technical	
Standards	DIN EN 61439-3 DIN EN 61439-2
Product Name	Wall-mounting cabinet
Power Loss	$\Delta t = 20K$ 207.7 W $\Delta t = 25K$ 274.2 W $\Delta t = 30K$ 344 W
Number of Flange	5

2SHQLQJV

1XPEHU RI &RQGXLW ,QOHWV

1XPEHU RI 5RZV

%% 3URGXFW)DPLO\

7ZLQ/LQH 1

&RQILJXUDWLRQ 7\SH

SUH DVVHPEOHG IRU LQVWDOODWLRQ RI PHWHULQJ PRGXOHV &RPE
ORGXO RU PRXQWLQJ SODWH RQ (') :5 PRXQWLQJ IUDPH

&RYHU 3ODWH 7\SH

1RQH

(QFORVXUH 7\SH

:DOO PRXQWLQJ FDELQHW

(QFORVXUH 7\SH RI +HLJKW

0RXQWLQJ 7\SH

6XUIDFH PRXQWHG

'RRU 7\SH

'RXEOH

6XUIDFH)LQLVKLQJ

SRZGHU FRDWHG

+RXVLQJ 0DWHULDO

6WHHO SODWH SODVWLF

&RYHU 6W\OH

ZLWK 1RWFK

',1 3ODFH 8QLWV

5\$/ 1XPEHU

5\$/ /LJKW *UH\

&RORU

/LJKW JUH\

7KLFNQHVV

&DELQHW SODWH PP
'RRU SODWH PP

(QYLURQPHQWDO

'HJUHH RI 3URWHFWLRQ

,3

3URWHFWLRQ &ODVV

,VRODWHG

(QYLURQPHQWDO ,QIRUPDWLRQ

&3& ;

6&,3

D

I

EE I

IEI *HUPDQ\ '(

6LPSOLILHG 6&,3

D

I

EE I

IEI *HUPDQ\ '(

'LPHQVLRQV

:LGWK LQ 1XPEHU RI
ORGXODU 6SDFLQJV

3URGXFW 1HW :LGWK

PP

3URGXFW 1HW +HLJKW

PP

3URGXFW 1HW 'HSWK
/HQJWK

PP

3URGXFW 1HW :HLJKW

NJ

%XLOW ,QV'HSWK

PP

&RQWDLQHU ,QIRUPDWLRQ

3DFNDJH /HYHO 8QLWV

SDFN SLHFH

3DFNDJH /HYHO :LGWK

PP

3DFNDJH /HYHO +HLJKW

PP

3DFNDJH /HYHO 'HSWK
/HQJWK

PP

3DFNDJH /HYHO *URVV
:HLJKW

NJ

3DFNDJH /HYHO (\$1

3DFNDJH /HYHO	8QLWV	SDOOHW	OLIW	SLHFH
3DFNDJH /HYHO	:LGWK		PP	
3DFNDJH /HYHO	+HLJKW		PP	
3DFNDJH /HYHO	'HSWK		PP	
/HQJWK				
3DFNDJH /HYHO	*URVV		NJ	
:HLJKW				

2UGHULQJ

0LQLPXP 2UGHU 4XDQWLW\	SLHFH
&XVWRPV 7DULII 1XPEHU	
&RXQWU\ RI 2ULJLQ	*HUPDQ\ ' (
6HOOLQJ 8QLW RI 0HDVXUH	SLHFH

&HUWLILFDWHV DQG 'HFODUDWLRQV 'RFXPHQW 1XPEHU

'HFODUDWLRQ RI &RQIRUPLW\	\$..	\$
&(		
(QYLURQPHQWDO ,QIRUPDWLRQ	&3&	;
,QVWUXFWLRQV DQG 0DQXDOV	&3&	0
	&3&	0

3RSXODU 'RZQORDGV

'DWD 6KHHW 7HFKQLFDO	&3&	&
,QIRUPDWLRQ	&3&	&
	&3&	%
,QVWUXFWLRQV DQG 0DQXDOV	&3&	0
	&3&	0

&ODVVLILFDWLRQV

(7,0	(&	(PSW\ FDELQHW
(7,0	(&	(PSW\ FDELQHW
(7,0	(&	(PSW\ FDELQHW
(3/\$1 &DWDORJ 7UHH	0HFKDQLFV	+RXVLQJV *HQHUDO
:(((&DWHJRU\	3URGXFV	1RW LQ :(((6FRSH
&1		
2EMHFW &ODVVLILFDWLRQ &RGH		8

\$FFHVVRULHV

,GHQWLILHU		'HVFULSWLRQ\SH4XDQWLW\		8QLW 21 0HDVXUH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	\$(FFHVVRU\ FDELQHW FRQQHFWLRQ	SLHFFH
&3;	5	7=	\$(FFHVVRU\ FDELQHW FRQQHFWLRQ	SLHFFH
&3;	5	7=	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	7=	)ODQJH 7=	SLHFFH
&3;	5	=/	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	=\$	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	=\$	(QFORVXUH DFFHVVRULHV	SLHFFH
&3;	5	=\$	(QFORVXUH DFFHVVRULHV	SLHFFH

& D W H J R U L H V

```

/RZ 9ROWDJH 3URGXFVYQDFGRVXVMMFVWULEXWLRQE %LRDWGLVXWLRZQ %RQHGLVb :HOGHG

```