

PRODUCT-DETAILS

64762-83-500

64762-83-500 Cover Plates Movement sensor aluminium silver



| Obecné informace | |
|------------------|--|
| Тур | 64762-83-500 |
| ld výrobku | 2CKA 006800A 2962 |
| EAN | 4011395293546 |
| Katalogový popis | 64762-83-500 Cover Plates Movement sensor aluminium silver |
| Detailní popis | Movement detector sensor with with measurement of ambient light. For automatic switching of devices dependent on motion and brightness. Push switch function possible at all times/. In combination with dimmer insert flex: dimming function of lighting and selectable light value storage. With enabling of pre-warning of switch-off for stainwell operation. Compatible with all free@ home flex inserts. Adjusting elements on rear side. Extension of the detection range by means of master/slave combination. With continuous light/continuous Off function. With brightness-independent test mode for evaluating the detection zone. With detection display in test mode. Surveillance density: 14 sectors with 56 switching segments. Switch-off delay: approx. 10 sec - 30 min or short-time pulse 1 sec adjustable. For relay insert flex, 1gang, 64811 U. For extension insert flex, 2gang, 64821 U. For LED touch dimmer insert flex, 1gang, 64851 U. For extension insert flex, 64891 U. Mounting height: 22 mm. |

| Technické údaje | |
|------------------------|--|
| Vhodné pro | 2C K A 006800A 3042 2C K A 006800A 3048 2C K A 006800A 3045 2C K A 006500A 001 3 2C K A 006800A 3051 |
| Minimum Switching Time | Switch-On 10 second [unit of time] |
| Typ upevn ní | Flush Mounted |
| Materiál | Thermoplastic |
| Model Number | Movementsensor |