

PRODUCT-DETAILS

JRA/S 2.230.5.1

JRA/S2.230.5.1 Blind/Roller Shutter Act, Travel Det, 2-f, 230 V AC, Man Op, MDRC



Obecné informace

Typ	JRA/S 2.230.5.1
Id v robku	2CDG110124R0011
EAN	4016779698436
Katalogov popis	JRA/S2.230.5.1 Blind/Roller Shutter Act, Travel Det, 2-f, 230 V AC, Man Op, MDRC

Detailn popis

For the control of independent 230 V AC drives via ABB i-busé KNX. The devices are designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. The travel times of the drive are detected automatically via current detection. To protect the drives, the output contacts are electromechanically locked against each other. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs.

Objednací údaje

EAN	4016779698436
slo celn ho sazebn ku	85371091
Minim ln objednac mno stv	1 piece
E-Number (Switzerland)	405430325
E-Number (Finland)	2815399
E-Number (Sweden)	1751246

Rozměry

ist hloubka v robku	64.5 mm
ist v ka v robku	90 mm
ist ka v robku	72 mm
ist hmotnost v robku	0.17 kg

Balení

rove balen 1, jednotky	box 1 piece
rove balen 1, EAN	4016779698436
rove balen 1, d lka	77 mm
rove balen 1, v ka	65 mm
rove balen 1, ka	92 mm
rove balen 1, hrub hmotnost	0.205 kg

Technické údaje

Compatible Bus Systems	KNX (TP)
Kryt	IP20
Typ upevn ěn	DIN-Rail
ka v po tu modul	4

Certifikáty a prohlášení (Číslo dokumentů)

CB certifik ět	9AKK107991A3191
List s daji, technick ě informace	2CDC506040D0201 2CDC506062D0202
Prohl ěn ě shod ě - CE	2CDK506042D2701
Pokyny a p ě ru ky	2CDG941067P0005
REACH Declaration	9AKK107492A1906
Informace RoHS	2CDG510122-0100

Údaje vn ějšího prostředí

Stav RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-----------	---

Klasifikace

ETIM 7	EC001330 - Shutting actuator for bus system
ETIM 8	EC001330 - Shutting actuator for bus system
Tr da eClass	V11.0 : 27143128
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

P stroje a rozv d e n z k ho nap t → Home and Building Automation → KNX → Shading Control → Blind Actuators 230 V AC

