

PRODUCT-DETAILS

SDA-F-2.1.1-WL

SDA-F-2.1.1-WL WL-Sensor/Dim act. 2/1g



Obecné informace

Typ	SDA-F-2.1.1-WL
Id výrobku	2CKA006200A0078
EAN	4011395215678
Katalogový popis	SDA-F-2.1.1-WL WL-Sensor/Dim act. 2/1g

Detailní popis

For dimming 230 V \sim loads. Communication with the free@home system is carried out wireless. With integrated universal dimming actuator for controlling LEDs, incandescent lamps, 230 V halogen lamps, low-voltage halogen lamps with conventional or electronic transformers, and dimmable energy-saving halogen lamps. For dimmable Retrofit-LEDs (LEDi). Dimming function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. 2-wire connection (neutral conductor not required) 3-wire connection technology is possible as an option for improved load behaviour (for details see the online operating manual). With 230 V extension unit input (dimming brighter/darker, switching). With fixing claws.

Technické údaje

Jmenovité napětí (U _r)	230 V
Jmenovité provozní napětí	230...230 V
Pomocné napětí AC/DC	230 V AC/DC
Jmenovitá frekvence (f)	50...60 Hz
Počet výstupů	1
Compatible Bus Systems	free@home

Výrobová řada	ABB-free@home®
Typ upevnění	Flush Mounted
Model Number	Dimming actuator
Number of Batteries	0

Údaje vnějšího prostředí

Teplota okolního vzduchu	Operation -5 ... +45 °C
Krytí	IP20
Stav RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Rozměry

Čistá hmotnost výrobku	109.5 g
Instalační hloubka (t ₂)	32 mm

Balení

Úroveň balení 1, jednotky	carton 1 piece
Úroveň balení 1, šířka	86 mm
Úroveň balení 1, výška	65 mm
Úroveň balení 1, délka	158 mm
Úroveň balení 1, hrubá hmotnost	0.198 kg
Úroveň balení 1, EAN	4011395215678

Objednací údaje

Minimální objednáací množství	1 piece
Číslo celního sazebníku	85389091
E-Number (Finland)	2815616
E-Number (Sweden)	1701230
Země původu	Germany (DE)

Certifikáty a prohlášení (Číslo dokumentů)

Prohlášení o shodě - CE	2CKA100000E2643
Pokyny a příručky	No document needed
REACH Declaration	2CKA309999E9999
Informace RoHS	9AKK104295D8727

Dokumenty ke stažení

List s údaji, technické informace	2CKA001473B9110
Pokyny a příručky	No document needed

Klasifikace

ETIM 7	EC001094 - Dimming actuator for bus system
ETIM 8	EC001094 - Dimming actuator for bus system
EPLAN - stromová architektura katalogu	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
Trída eClass	V11.0 : 27143123

Kategorie

Přístroje a rozváděče nízkého napětí → Home and Building Automation → free@home → Lighting Control → Universal Dim Actuators

