



Actinic BL TL-D(K) Secura

Actinic BL TL-D TL 8W/10 Secura 1FM/10X25CC

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL-D(K) Secura lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. In addition, they have a special "Secura" sleeve that keeps all glass and components together in the case of accidental breakage. This eliminates the risk of glass splinters showering down on food preparation areas, for example. And that is why it meets the strict HACCP requirements. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice.

Product data

General Information		Voltage (Nom)	
Cap-Base	G5 [G5]	56 V	
Life to 50% Failures (Nom)	10000 h	Approval and Application	
Useful Life (Max)	3000 h	Mercury (Hg) Content (Nom)	4.4 mg
Light Technical		UV	
Color Code	10	UV-B/UV-A (IEC)	0.2 %
UV Depreciation at 500 h	17 %	Product Data	
UV Depreciation at 1000 h	25 %	Full product code	871829168010900
UV Depreciation at 2000 h	35 %	Order product name	Actinic BL TL-D TL 8W/10 Secura 1FM/10X25CC
Operating and Electrical		EAN/UPC - Product	8718291680109
Power (Rated) (Nom)	7.1 W	Order code	928011001029
Lamp Current (Nom)	0.145 A	Numerator - Quantity Per Pack	1
		Numerator - Packs per outer box	250


Actinic BL TL-D(K) Secura

Material Nr. (12NC)	928011001029
Net Weight (Piece)	25.300 g

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.



Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
Actinic BL TL-D TL 8W/10	16 mm	288.3 mm	295.4 mm	293.0 mm	302.5 mm
Secura 1FM/10X25CC					

TL 8W/10 Secura

Photometric data



Lightcolor /10

Lightcolor /10

