

WIRE CONNECTOR 2 CABLES 3 PCS. ACCESSORY FOR:
3VA15/25 1000



Model	
Product brand name	SETRON
Product designation	accessories
Accessories	Wire connector





General technical data	
Designation / of the terminal	TA3.1

Connections according IEC	
IEC-marking / of terminals	120-300 mm ² CU/AL NNL
Connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for aluminum cable / stranded / minimum • for aluminum cable / stranded / maximum 	120 mm ² 300 mm ² 120 mm ² 300 mm ²
Wire stripping length	26.0 mm

Connections according UL

UL-marking / of terminals	TA3.1 CMC 4/0-600 CU7AL
Permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
Connectable conductor cross-section <ul style="list-style-type: none"> • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for copper cable / finely stranded / minimum • for copper cable / finely stranded / maximum • for aluminum cable / stranded / minimum • for aluminum cable / stranded / maximum 	4/0 600 4/0 600 4/0 600
Tightening torque / when using copper cables <ul style="list-style-type: none"> • stranded • finely stranded 	4/0 - 600 kcmil: 375 lb-in 4/0 - 600 kcmil: 375 lb-in






Certificates

General Product Approval	EMC	Declaration of Conformity	Shipping Approval	other
Miscellaneous 	 RCM	 EG-Konf.	 LRS	Manufacturer Declaration

other Miscellaneous

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3VA9503-0JB23>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9503-0JB23>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3VA9503-0JB23
- CAX-Online-Generator**
<http://www.siemens.com/cax>
- Tender specifications**
<http://www.siemens.com/specifications>



last modified:

08/08/2020