



TruSys® TRUNKING SYSTEM













	EAN	l x w x h [mm]	W	lm	lm/W	K	IP	IK
TruSys® LED 53W 3000K W SI	4058075100459	1535 x 71 x 53	53	6600	125	3000	20	07
TruSys® LED 53W 4000K W SI	4058075100473	1535 x 71 x 53	53	7200	135	4000	20	07
TruSys® LED 53W 6500K W SI	4058075100497	1535 x 71 x 53	53	6900	130	6500	20	07
TruSys® LED 53W 3000K NFL SI	4058075100510	1535 x 71 x 53	53	6200	115	3000	20	07
TruSys® LED 53W 4000K NFL SI	4058075100534	1535 x 71 x 53	53	6700	125	4000	20	07
TruSys® LED 53W 6500K NFL SI	4058075100558	1535 x 71 x 53	53	6500	125	6500	20	07
TruSys® LED 53W 3000K WW SI	4058075100572	1535 x 71 x 53	53	5700	110	3000	20	07
TruSys® LED 53W 4000K WW SI	4058075100596	1535 x 71 x 53	53	6300	120	4000	20	07
TruSys® LED 53W 6500K WW SI	4058075100619	1535 x 71 x 53	53	6100	115	6500	20	07
TruSys® LED 53W 3000K DA SI	4058075100633	1535 x 71 x 53	53	6400	120	3000	20	07
TruSys® LED 53W 4000K DA SI	4058075100657	1535 x 71 x 53	53	6900	130	4000	20	07
TruSys® LED 53W 6500K DA SI	4058075100671	1535 x 71 x 53	53	6700	125	6500	20	07
TruSys® ENERGY RAIL 1500 5X2,5	4058075100299	1535 x 67 x 44	-	-	-	-	20	07
TruSys® ENERGY RAIL 3000 5X2,5	4058075100312	3068 x 67 x 44	-	-	-	-	20	07
TruSys® ENERGY RAIL 4500 5X2,5	4058075100336	4601 x 67 x 44	-	-	-	-	20	07













	EAN	ꞯ (°C)	V _{AC}	Hz	∠	PF	R _a	⚖
TruSys® LED 53W 3000K W SI	4058075100459	-20...+45	220-240V	50/60 Hz	105°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 4000K W SI	4058075100473	-20...+45	220-240V	50/60 Hz	105°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 6500K W SI	4058075100497	-20...+45	220-240V	50/60 Hz	105°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 3000K NFL SI	4058075100510	-20...+45	220-240V	50/60 Hz	25°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 4000K NFL SI	4058075100534	-20...+45	220-240V	50/60 Hz	25°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 6500K NFL SI	4058075100558	-20...+45	220-240V	50/60 Hz	25°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 3000K WW SI	4058075100572	-20...+45	220-240V	50/60 Hz	45°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 4000K WW SI	4058075100596	-20...+45	220-240V	50/60 Hz	45°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 6500K WW SI	4058075100619	-20...+45	220-240V	50/60 Hz	45°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 3000K DA SI	4058075100633	-20...+45	220-240V	50/60 Hz	2 x 35°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 4000K DA SI	4058075100657	-20...+45	220-240V	50/60 Hz	2 x 35°	> 0.95	> 80	1.7 kg
TruSys® LED 53W 6500K DA SI	4058075100671	-20...+45	220-240V	50/60 Hz	2 x 35°	> 0.95	> 80	1.7 kg
TruSys® ENERGY RAIL 1500 5X2,5	4058075100299	-20...+45	220-240V	50/60 Hz	-	> 0.95	> 80	1.5 kg
TruSys® ENERGY RAIL 3000 5X2,5	4058075100312	-20...+45	220-240V	50/60 Hz	-	> 0.95	> 80	3.0 kg
TruSys® ENERGY RAIL 4500 5X2,5	4058075100336	-20...+45	220-240V	50/60 Hz	-	> 0.95	> 80	4.5 kg





TruSys®
MOUNTING BRACKETS
EAN 4058075100435





TruSys®
ELECTRICAL CONNECTOR
EAN 4058075155565











TruSys® CHAIN KIT
EAN 4058075100374





TruSys® SUSPENSION KIT
EAN 4058075100350




TruSys® BLIND COVER 1500
EAN 4058075100398









TruSys® ENERGY RAIL 3000



TruSys® ENERGY RAIL 4500



	~ 230V / ~ 243mA / ~ 53W / PF ~ 0.95					
	C10	C13	C16	B10	B13	B16
	1.5mm ²	1.5mm ²	1.5mm ²	1.5mm ²	1.5mm ²	1.5mm ²
LC 57W 800-1050mA flexC Ip ADV	n=15	n=20	n=27	n=9	n=12	n=16



C10449058
G11054129V2
09.04.21



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com