

75009690	DATA SHEET	
Valid from: 18.09.2020	EPIC® POWER LS1 KIT D6 6 PINS FEMALE	

Description

- Circular connector for servomotors and power supply
- High power at smallest installation space
- Optimal solution for electric motors
- EMC-optimised design
- Safety use in field environment by high protection class
- Complete connector with housing and insulation body, equipped with suitable crimp contacts



General Characteristics

Series	POWER LS 1
Version	Cable connector for female contacts
Pin configuration	5+PE
Rated voltage (V)	630 V
Rated impulse voltage	6 kV
Rated current (A)	25 A
Contact resistance	< 4 mOhm
Contacts	Gold plated brass
Number of contacts	5+PE
Termination methods	Crimp termination: 0.5 – 2,5 mm²
Protection	IP 68 (latched)
Cycle of mechanical operation	500
Temperature range	-25°C to +125°C
Degree of soiling	3

Materials and Surfaces

Housing	Nickel-plated zinc die-casting, nickel-plated brass
Insert	PA
Seal	FPM/FKM
Contacts	Brass
Contact surface	Au

Approvals

VDE-Approval, VDE-REG.-Nr.	B025
UL-File-Number	E249137

Standard


Safety Standard	IEC 61984, UL 2238, CSA C22.2 182.3
-----------------	-------------------------------------



Creator: STKU3/PDP Released: IVSE1/PDP	Document: DB75009690EN Version: 02	Page 1 of 3
---	---------------------------------------	-------------

75009690	DATA SHEET	
Valid from: 18.09.2020	EPIC® POWER LS1 KIT D6 6 PINS FEMALE	

Technical Drawings



Good chemical resistance



Corrosion-resistant



Industrial machinery and plant engineering




Maximum vibration protection



Mechanical resistance



Assembly time



Optimum strain relief



Space requirement



Robust

Creator: STKU3/PDP Released: IVSE1/PDP	Document: DB75009690EN Version: 02	Page 2 of 3
---	---------------------------------------	-------------

75009690	DATA SHEET	
Valid from: 18.09.2020	EPIC® POWER LS1 KIT D6 6 PINS FEMALE	



Integrated SKINTOP® cable gland



Waterproof



Wind Energy



Variety of approval certifications

Application range

Plant engineering

Servo drives and servo assemblies

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Creator: STKU3/PDP Released: IVSE1/PDP	Document: DB75009690EN Version: 02	Page 3 of 3
---	---------------------------------------	-------------