


PRODUCT-DETAILS

HCC/S2.2.2.1

HCC/S2.2.2.1 Heating/Cooling Circuit Controller, 2-f, 3-point, Man Op, MDRC



Obecná informace

Typ	HCC/S2.2.2.1
Id výrobku	2CDG110221R0011
EAN	4016779011648
Katalogový popis	HCC/S2.2.2.1 Heating/Cooling Circuit Controller, 2-f, 3-point, Man Op, MDRC

Detailní popis

For the control of a heating or cooling circuit. The device has 2 channels, each with two electronic outputs to control a motor-driven mixing valve (3-Point) of a heating or cooling circuit as well as a relay output (5A) to switch the pump of the circuit. Via 3 binary inputs it is possible to monitor the status of the pump (via potential free contacts) and integrate these feedback into the control of the pump. The flow and return flow temperature are measured and used for the calculation of the control value for the valve output in the integrated controller. The set point temperature is received via the KNX bus. By bundling both channels of the device it is also possible to use it for double pump systems. The HCC/S 2.2.2.1 features an easy to use manual operation. The device supports the ABB i-bus Tool for advanced diagnosis and improved commissioning.

Objednávací údaje

EAN	4016779011648
Číslo celního sazebníku	85371091
Minimální množství	1 piece
E-Number (Switzerland)	405711325
E-Number (Finland)	2814570
E-Number (Sweden)	1739460

